

METHOD OF CONSTRUCTION GYPSUM EGGBOX PANELS.

Two 8 Feet x 3 Feet x $\frac{3}{8}$ " thick or 8 Feet x 4 Feet x $\frac{3}{8}$ " thick gypsum panels with $2\frac{1}{4}$ " high cardboard is used in each panel.

The first gypsum panel is laid on a perfectly flat surface.

The $2\frac{1}{4}$ " eggbox is opened 6" approximately and painted with cold P.V.A. glue along both edges.

The glue supplied by the Minnesota Glue Co, is applied to the edges of cardboard.

The cardboard is then laid in position on the first gypsum board.

The edges of the two gypsum boards in contact with the wooden battens should be brushed with P.V.A. glue.

The wooden battens should now be laid in position on the first board.

Thereafter the second board should be placed in position completely covering the first.

The process should be continued to a height of 4 Feet, finishing off with a loading of cement pockets to pressurise the panels.

Glue should dry in 1 hour. It is suggested that the panels remain in position for 1 day.

Collection Number: A1434

Colin Goodman Papers, 1930-1972

PUBLISHER:

Publisher:- Historical Papers Research Archive

Location:- Johannesburg

©2014

LEGAL NOTICES:

Copyright Notice: All materials on the Historical Papers website are protected by South African copyright law and may not be reproduced, distributed, transmitted, displayed, or otherwise published in any format, without the prior written permission of the copyright owner.

Disclaimer and Terms of Use: Provided that you maintain all copyright and other notices contained therein, you may download material (one machine readable copy and one print copy per page) for your personal and/or educational non-commercial use only.

People using these records relating to the archives of Historical Papers, The Library, University of the Witwatersrand, Johannesburg, are reminded that such records sometimes contain material which is uncorroborated, inaccurate, distorted or untrue. While these digital records are true facsimiles of paper documents and the information contained herein is obtained from sources believed to be accurate and reliable, Historical Papers, University of the Witwatersrand has not independently verified their content. Consequently, the University is not responsible for any errors or omissions and excludes any and all liability for any errors in or omissions from the information on the website or any related information on third party websites accessible from this website.

This document is part of a collection held at the Historical Papers Research Archive, The Library, University of the Witwatersrand, Johannesburg, South Africa.